86.

87 **PHARMACOPOEIA PAUPERUM,** in usum Nosocomii Regii Edimburgensis. Editio quarta - Edimburgi, Belfour et Smellie, **1770** - In 16° ril. p. pelle d'epoca, pp. **L. 175.000**

1980

Fondazione Diabete To
Museo del Diabete
Libri Antichi
71

B667

PHARMACOPOEIA

C. Simpson.

PAUPERUM,

IN USUM

NOSOCOMII REGII

EDIMBURGENSIS.

EDITIO QUARTA.

EDINBURGI:

Apud BALFOUR et SMELLIE,
Sumptibus NOSOCOMII.

M,DCC,LXX.

LECTORI.

E Catalogo *ſimplicium* omittuntur, quaecunque recentia praeſcribuntur, adeoque in officina reſervari neque-unt. Omittuntur quoque medicamenta nonnulla *domeſtica*, quae noſocomii promptuarium ſuppeditare intelligitur.

In medicamentis praeparandis et componendis, obſervanda eſt norma *Pharmacopoeiae Edinburgenſis*, niſi ubi formula aut exceptio aliqua adjecta eſt.

Diſtinguuntur aſteriſmo medicamenta compoſita, quae extempore miſceri debent.

Index morborum et medicamentorum cum *tabula poſologica* in tyronum uſum ſubjuncta ſunt. Quod ad hanc attinet; obſervandum, quod deſcriptae doſes plerum-

plerumque maximae ſunt, quas aegris convenit, vel ſaltem ſolitum eſt, praecipere: Quum vero praepoſitio *ad* omittitur, doſis media pro adultis intelligitur. Medicamentis, quae per ſe nunquam aut raro uſurpantur, nulla doſis inditur. Multa alia etiam praetermittuntur, diverſas ob cauſas: Quaedam, quia innoxia ſunt, et magna copia, niſi morbi natura aegrive habitus peculiaris obſtiterit, adhiberi poſſunt: Alia, quae, etſi valentia ſint ac potentiſſima remedia, pro morbi tamen et rerum varietate doſibus admodum variantur. Hujſmodi ſunt nonnulla mercurialia, et plura ex antimonio parata. Quae commode definiri poterant, doſes notatae ſunt: Omnes deſignaſſe, vel ſupervacuum, vel ineptum.

PHAR-

PHARMACOPOEIA.

MEDICAMENTA SIMPLICIA Officinalia.

Radices.

ALLII.
Althææ.
Angelicæ.
Ari.
Ariſtolochiæ clem:
Ariſtolochiæ long.
Bardanæ maj.
Bryoniæ albæ.
Calami aromat.
Conſolidæ maj.
Contrayervæ.
Curcumæ
Fœniculi.
Gentianæ.
Glycyrrhizæ.
Helenii.
Hellebori albi.
Hellebori nigri.
Jalappæ.
Imperatoriæ.

Ipe-

Ipecacuanhæ.
Iridis Florentinæ.
Oxylapathi.
Petroſelini.
Rhabarbari.
Sarſaparillæ.
Scillæ.
Senekæ.
Serpentariæ Virgin.
Tormentillæ.
Valerianæ ſilveſt.
Zedoariæ.
Zingiberi.

Herbæ, Folia, Flores, Summitates.

Abſinthium vulg.
Aſarum.
Carduus bened.
Centaurium min.
Chamæmeli flor.
Crocus.
Hedera terreſtris.
Lavendulæ flor.
Lichen ciner. terr.
Majorana.
Malva.
Marrubium album.
Mentha piperitis.
Mentha ſativa.
Parietaria.
Plantago latifolia.
Roſæ rubræ.
Roſmarinus cum flor.
Ruta.

Ruta.
Sabina.
Salvia.
Sambuci flor.
Scordium.
Senna.
Solanum hortenſe.
Solanum lethale.
Tanaceti flores.
Trichomanes.
Trifolium aquatic.
Tuſſilaginis flores.
Tuſſilaginis folia.

Semina, Baccæ, Fructus, &c.

Amygdalæ dulces.
Angelicæ ſem.
Aurantia Curaſſavenſia.
Cardamomum min.
Caricæ.
Caryophylli aromat.
Colocynthis.
Coriandri ſem.
Cubebæ.
Cumini ſem.
Dauci ſilv. ſem.
Fœniculi dulc. ſem.
Fœni Græci ſem.
Juniperi baccæ.
Lauri baccæ.
Leviſtici ſem.
Lini ſem.
Macis.

Macis.
Nux moſchata.
Papav. hort. capita.
Paſſulae majores.
Piper Jamaicenſe.
Piper nigrum.
Pruna Gallica.
Sambuci baccae.
Santonicum ſem.
Sinapi ſem.
Tamarindi.

Ligna.

Campechenſe.
Cuajacum, cum cort.
Santalum rubrum.
Saſſaphras, cum cort.

Cortices.

Canella alba.
Cinnamomum.
Granatorum.
Peruvianus.
Quercûs.

Gummi, Reſinae, Olea, Succi, aliaque ex vegetabilibus provenientia.

Acetum.
Aloe hepatica.
Aloe Socotrina.
G. Ammoniacum.
Amylum.

Amylum.
G. Arabicum.
Aſa fœtida.
Balſ. copaibæ.
Balſ. Peruvianum.
Benzoinum.
Camphora.
Catechu, ſeu terra Japonica.
Cineres clavellati.
Fuligo ligni.
Galbanum.
Glycyrrhizæ ſucc. Hiſpanus.
G. guajaci.
Manna.
Myrrha.
Oleum laurinum.
Oleum macis expreſſ.
Oleum olivarum.
Oleum palmæ.
Olibanum.
Opium.
Pix Burgundica.
Pix liquida.
Pix ſicca.
Reſina alba.
Saccharum album.
Sapo albus Hiſpan.
Sarcocolla.
Scammonium.
Tacamahaca.
Tartari cryſtalli.
Terebinthina Ven.
Thus femininum.
Tragacantha.

Animalia, et ex iis desumpta.

Auxungia porc. præp.
Cantharides.
Castoreum Ruff.
Cera flava ; *et* alba.
Cochinilla.
Mel.
Millepedæ præp.
Moschus.
Ostreorum test. præp.
Sal ammoniacum.
Sevum ovillum.
Sperma ceti.

Mineralia, et Fossilia.

Ærugo.
Alumen rupeum.
Antimonium.
Bolus Armena præp.
Borax.
Calamin. lap. præp.
Calx viva.
Cerussa.
Creta alba.
Ferri limatura.
Ferri rubigo.
Hydrargyrus.
Lythar-

PAUPERUM.

Lythargyrus. præp.
Minium.
Nitrum.
Stanni pulvis.
Sulphur.
Vitriolum album.
Vitriolum cæruleum.
Vitriolum viride.
Tutia præp.

MEDI-

PHARMACOPOEIA

MEDICAMENTA COMPOSITA,

ET

PRÆPARATIONES CHEMICÆ.

ACetum deſtillatum.

Acetum lithargyrites.

Acetum ſcilliticum.

Fiat ex radice tranſverſe in taleolas ſecta, et modice ſiccata.

Æthiops antimonialis.

℞. Æthiopis miner. cum dupl. mercur. lib. ii.
Antimonii praep. lib. i.
Tere ſimul in mortario lapideo.

Æthiops mineralis, cum ſimp. merc.

Æthiops mineralis, cum dupl. merc.

Antimonium præparatum.

Aqua

Aqua alexeteria.

℞ Flor. ſambuci modice ſiccat. lib. iii.
Fol. recent. angelicæ lib. ii.
Aquæ fontanæ. q. ſ.
Deſtilla cong. iii.

Aqua aluminoſa.

Aqua aromatica.

℞ Canellæ alb. lib. ſs.
Cort. exter. recent. limonum unc. iv.
Piperis Jamaicenſis unc. ii.
Rad. recent. angelicae unc. i.
Spir. vini Gall. cong. ii.
Macera per quatriduum, et deſtilla cong. ii.

Aqua calcis.

Aqua epidemia.

Aqua menthæ piperitidis.

Aqua menthæ ſativæ.

Aqua phagedænica.

℞ Aq. font. lib. i.
Mercurii ſublim. corroſ. gr. x.
F. Solutio.

Aqua

Aqua picea.

℞. Picis liquidæ lib. ii.
Aq. font. cong. i.
Agitentur valide bacillo ligneo, et poſt biduum effundatur aqua.

Aqua piperis Jamaicenſis.

℞. Piperis Jamaicenſ. lib. i. ſs.
Aq. font. q. ſ.
ut deſtillentur cong. ii.

Aqua raphani compoſita.

Aqua ſapphirina.

℞. Aq. font. *pro* aq. calcis.

Aqua ſtyptica.

Aqua valerianæ compoſita.

Aqua vitriolica.

Balſamum adſtringens.

℞. Olei vitrioli drach. v.
terebinthinæ drach. iii.
Senſim miſce in vitro aperto; dein adde paulatim
Spir. vini rectif. unc. ii.

Balſamum

Balſamum anodynum Bateanum.

Balſamum Locatelli.

Balſamum piceum.

℞. Picis liquid. unc. ii.
Spir. vin. rectif. lib. i.
F. digeſtio in B. A. per triduum, et effunda-tur balſamum a fæcibus.

Balſanum ſaponaceum *ſeu* oppodeltoch.

Balſamum ſulphuris craſſum.

Balſamum ſulphuris terebinthinatum.

Balſamum (*i. e.* oleum fuſcum) terebin-thinæ.

Balſamum traumaticum.

Balſamum viride.

* Bolus alexeterius.

℞. Serpentariae Virgin. gr. xv.
Caſtorei gr. x.
Camphoræ gr. v.
Syrupi communis q. ſ. M.

* Bolus

* Bolus e castoreo.

℞. Castorei scr. i.
Salis C. cerv. vol. gr. v.
Syr. commun. q. s. M.
Fit quoque, in vicem salis *substituendo*
Olei still. C. cervi gut. v.

* Bolus diaphoreticus.

℞. Pulv. contrayervæ comp.
Sal ammoniaci crudi, $\overline{aa}$ scr. i.
Syr. commun. q. s. M.

* Bolus diureticus.

℞. Saponis albi scr. ii.
Oll. still. juniper. gutt. x.—xx. M.

* Bolus Guajacinus.

℞. Gum. guajaci drach. ss.
Sal C. cerv. vol. gr. vii.
Syr. commun. q. s. M.

* Bolus jalappæ cum mercurio.

℞. Jalappæ electæ scr. i.
Calomelanos gr. v.—x.
Syr commun. q. s. M.

* Bolus

*Bolus mercurialis.

℞. Calomelanos gr. v.—xv.
Conſervæ roſar. drach. ſs. M.

*Bolus pectoralis.

℞. Spermat. ceti. gr. xv.
G. ammoniaci gr. x.
Sal. C. cerv. vol. gr. vii.
Syr. commun. q. ſ. M.

*Bolus rhei cum mercurio.

℞. Rhabarbari gr. xxv.
Calomelanos gr. v.
Syr. commun. q. ſ. M.

*Bolus ſudorificus.

℞. Nitri,
Sal polychreſti, $\overline{aa}$ gr. xii.
Ipecacuanhæ gr. vi.
Opii gr. iii.
Syr. papav. albi q. ſ. M.

*Bolus theriacalis.

Theriacæ ſcr. ii.
Sal. C. cerv. vol. gr. vii.
Camphoræ gr. v. M.

Calomelas.

Cataplaſma aromaticum.

* Cataplaſma camphoratum.

℞. Cataplaſmatis aromat. unc. i.

Camphoræ drach. i. M.

* Cataplaſma diſcutiens.

℞. Farinæ hordeaceæ unc. vi.

Fol. cicutæ rec. optime contuſ. unc. ii.

Aceti q. ſ.

Coque parum, et adde

Sal. ammoniaci crud. unc. ſs.

* Cataplaſma emolliens.

℞. Medullæ panis cibarii unc. viii.

Ol. olivarum unc. i.

Lactis vaccini recent. q. ſ.

Coque parum.

* Cataplaſma ſtomachicum.

℞. Cataplaſmatis aromat. unc. i.

Ol. macis expr. drach. ii.

Balſ. anodyni Bat. q. ſ. M.

* Cataplaſma ſuppurans.

Adde cataplaſmati emmollienti

Ceparum crud. contuſ. unc. i. ſs.

Ung. baſilici unc. i.

Cauſti-

Causticum lunare.

Causticum potentiale.

* Cervisia aperiens.

℞ Sem. sinapi integri unc. x.
Rad. aristolochiæ long. unc. vi.
Summit. centaurii min. unc, ii.
sabinæ unc. i.
Cervisiæ tenuis novæ cong. x.

*Cervisia cephalica.

℞ Rad. valerianæ silv. unc. x.
Sem. sinapi integri unc. vi.
Serpentariæ Virgin. unc. ii.
Rorismarini *vel* salviæ unc. iii.
Cervis. tenuis nov. cong. x.

* Cervisia diuretica.

℞ Sem. sinapi integri,
Bacc. juniperi, $\overline{aa}$ unc. viii.
Sem. dauci silv. unc. iii.
Absinthii vulg. unc. ii.
Cervis. tenuis nov. cong. x.

* Cervi-

* Cervisia ad scorbuticos.

℞ Rad. raphani rustic. recent. unc. xii.
oxylapathi unc. vi.
Canellæ albæ unc. ii.
Trifolii aquat. recent. unc. viii. *vel* siccati unc. iii.
Cervis. tenuis nov. cong. x.

Cinnabaris antimonii.
Colcothar vitrioli.

* Collyrium album.

℞ Aq. font. unc. vi.
Trochiscorum alb. drach. i.
Vitrioli albi gr. x. M. f. a.

* Collyrium aluminosum.

℞ Aluminis rup. drach. ss.
Albumen unius ovi.
Agitentur diligenter.

Colophonia.
Confectio Japonica.
Conserva rosarum rubrarum.
Crocus antimonii, *seu* metallorum.

Deco-

* Decoctum adstringens.

℞ Rad. tormentillae unc. i.
Cort. granatorum.
Fol. plantagin. āā unc. ſs.
Aq. font. lib. iii.

Coq. ad lib. li. *addendo sub finem*

Cinnamomi drach. i.

Colaturæ adde

Syr. de roſis ſicc. unc. i.

* Decoctum album.

℞ Pulv. teſtacei com. drach. vi.
G. Arabici drach. ii.
Aq. font. lib. iii.

Coque ad lib. ii. *et decocto turbido adde*

Aq. aromaticæ unc. i.
Sacchari alb. drach. ii.

* Decoctum antihecticum.

℞ Rad. conſolidæ maj. unc. i.
Conſerv. roſarum unc. ii.
Aq. font. lib. iii.

Coque ad lib. ii. *colaturæ; cui adde*

Elix. vitrioli gutt. lx.

* Deco-

*Decoctum bardanæ.

℞ Rad. bardanæ maj. unc. ii.
Tartari vitriolat. drach. i.
Aq. font. lib. iii.
Coque ad lib. ii. *colaturæ.*

*Decoctum Campechenſe.

℞ Scobis ligni Campechenſ. unc. iii.
Aq. font. lib. iv.
Coque ad medias, addendo ſub finem
Cinnamomi drach. ii. *Cola.*

*Decoctum commune.

*Decoctum diureticum.

℞ Rad. petroſelini *vel* fœniculi unc. i.
Sem. dauci ſilv. drach. iii.
Herb. parietariae unc. ſs.
Paſſularum maj. unc. ii.
Aq. font. lib. iii.
Coque ad lib. ii. *colaturæ; cui adde*
Nitri drach. i.

*Decoctum hordei.

℞ Hordei perlati unc. ii.
Aq. font. lib. vi.
Caque ad lib. iv. *et cola.*

* Decoctum lignorum.
* Decoctum nitrosum.
* Decoctum sarsaparillæ.

℞ Rad. sarsaparillæ unc. iii.
Aq. font. lib. vi.
Coque leni igne ad tertias, et cola.

* Decoctum senekæ.

℞ Rad. senekæ unc. i.
Aq. font. lib. i. ss.
Coque ad lib. i. *et cola.*

* Decoctum serpentariæ compositum.
* Decoctum tamarindorum cum senna.

℞ Syr. rosarum pall. *pro* syr. violarum; *et omittatur* aq. cinnamomi.

* Decoctum vulnerarium.

℞ Herb. hederæ terr.
Fol. plantaginis $\overline{aa}$ unc. ss.
Aq. font. lib. iii.
Coque ad lib. ii. *colaturæ; cui adde*
Sacchari alb. unc. ss.

* Ele-

* Electuarium balsamicum.

℞. Conservæ rosarum unc. ii.

Bals. Locatelli (mucilagine G. Arab. soluti) unc. i. M.

* Electuarium ad dysentericos.

* Electuarium hæmorrhoidale.

℞. Electuar. lenitivi unc. ii.

Flor. sulphuris unc. i.

Syr. rosarum pallid. q. s. M.

Electuarium lenitivum.

Omittatur cassia fistularis, *et duplicentur* tamarindi.

* Electuarium ad nephriticos.

℞. Electuar. lenitivi unc. i. ss.

Terebinthinæ Ven. (vitello ovi solutæ) unc. i.

Rhabarbari drach. ii.

Syr. de althæa. q. s. M. s. a.

* Electuarium Peruvianum febrifugum.

℞. Cort. Peruviani unc. i.

Sal. ammoniaci crudi drach. i.

Syr. e succo limon. q. s. M.

* Ele-

* Electuarium Peruvianum roborans.

℞ Cort. Peruviani unc. i. ſs.
Colcotharis vitrioli drach. iii.
Syr. commun. q. ſ. M.

* Electuarium Peruvianum ſtypticum.

℞ Cort. Peruv. unc. i. ſs.
Aluminis rup. unc. ſs.
Syr. e. ſucc. limon. q. ſ. M.

Elixir proprietatis.

Elixir Sacrum.

℞ Canellam alb. *pro* ſem. cardamomi.

Elixir ſalutis.

℞ Jalappam *pro* rheo.

Elixir ſtomachicum.
Elixir vitrioli.
Emplaſtrum adhæſivum.
Emplaſtrum antihyſtericum.
* Emplaſtrum calidum.

℞ Empl. gummoſi unc. i.
epiſpaſtici drach. ii.
Liqueſcant ſimul leni igne.

Emplaſtrum cereum.
Emplaſtrum commune.
Emplaſtrum defenſivum.
Emplaſtrum epiſpaſticum.

℞. Empl. adhæſivi unc. xxiv.
Terebinthinæ Ven. unc. ii.
Liqueſcant ſimul, et admiſceantur
Cantharidum contritar. unc. vi.

Emplaſtrum gummoſum.
Emplaſtrum mercuriale.
Emplaſtrum ſaponaceum.
* Emplaſtrum ſuppurans.

℞. Empl. gummoſi unc. i· ſs.
Picis Burgund. unc. ſs.
Liqueſcant ſimul.

* Emulſio Arabica.
* Emulſio camphorata.
* Emulſio communis.
* Enema adſtringens.

℞. Aq. calcis unc. x.
Confect. Japonicæ unc. ſs. M.

* Enema

* Enema adſtringens balſamicum.

Adde priori enemati

Balſ. Locatelli (vitello ovi ſoluti) unc. ſs.

Utrumque ſufficit pro duabus vicibus.

* Enema de amylo.

℞ Gelatinæ ex amylo unc. iv.

Liquefacta leni igne immiſce

Ol. olivarum unc. ſs.

Fit quoque addendo

Laudani liquid. gutt. xl.

* Enema anodynum.

℞ Infuſ. lini unc. vi.

Laudani liquid. gutt. xl. M.

* Enema anticolicum.

℞ Decocti commun. lib. ſs.

Tinct. ſacræ unc. i.

Salis commun. drach. ii.

Ol. olivarum unc. ii.

Enema domeſticum.

℞ Lactis vaccini unc. x.

Saccahari rubri,

Ol. olivar. $\overline{aa}$ unc. i. M.

* Enema

* Enema emolliens.

℞ Ol. palmæ unc. i. ſs.
Vitellum unius ovi.
Probe ſubactis adde
Lactis vacc. lib. ſs.

* Enema fœtidum.

℞ Rutæ,
Sabinæ, āā unc. ſs.
Aq. font. lib. i. ſs.
Coque ad lib. i. *colaturæ; cui adde*
Aſæ fœtidæ drach. ii.
Ol. olivarum unc. ſ.
ſtillat. ſuccini drach. ſs. M. ſ. a.
Pro duabus vicibus.

* Enema purgans.

℞ Decocti commun. unc. xii.
Saponis albi unc. i.
Syr. de rhamno unc. i. ſs. M. ſ. a.

* Enema terebinthinatum.

℞ Decocti comm. unc. x.
Terebinthinæ Ven. (vitello ovi ſolutæ)
unc. ſs.
Ol. olivarum unc. i. M. ſ. a.

* Ex-

* Expreſſio millepedarum.

℞ Millepedarum viv. unc. iii.
Aq. pulegii lib. i.
raphani comp. lib. ſs.
Contunde, lenſim affundendo aquas, et f. expreſſio.

Extractum gentianæ.
Extractum hellebori nigri.
Extractum jalappæ aquoſum.
Fit coquendo ex aqua, *et ſpiſſando igne leni.*
Flores ſulphuris.
Si acidi ſint, coquantur paululum cum aquæ fontanæ *duplici pondere; hac aqua effuſa, colluantur frigida, deinde ſiccentur.*

* Fotus anodynus.

℞ Capit. papaveris hort. unc. i.
Flor. ſambuci unc. ſs.
Aq. font. lib. iii.
Coque ad lib. ii. *et cola.*

* Fotus

* Fotus aromaticus.

℞ Caryophillorum aromat.
Macis, $\overline{aa}$ drach. i.
Vini rubri lib. i.
Coque parum, et cola.

* Fotus emolliens. *Vid.* decoct. commune.

* Fotus roborans.

℞ Cort. quercus unc. i. ſs.
Aq. font. lib. iii.
Coque ad lib. ii. *colaturæ ; cui adde*
Aluminis rup. drach. iii.

* Gargariſma adſtringens.

℞ Cort. quercus unc. i.
Aq. font. lib. i. ſs.
Coque ad lib. i. *colaturæ; cui adde*
Aluminis rup. drach. i.
Syr. de roſis ſicc. unc. i.

* Gargariſma commune.

℞ Aq. font. unc. vi.
Nitri drach. i.
Syr. de roſis ſicc. unc. i. M.
Adde nonnunquam
Ol. vitrioli gutt. xl.

* Gar-

*Gargariſma emolliens.

℞. Rad. althææ unc. ii.
Caricas iv.
Aq. font. lib. iii.
Coque ad lib. ii. *et cola.*

*Hauſtus diaphoreticus.

℞. Spir. Mindereri unc. i.
Syr. diacodiôn unc. ſs.
Sal. C. cervi vol. gr. v. M.

*Hauſtus ſalinus.

℞. Sal. tartari ſcrup. i.
Succi limonum unc. ſs.
Sacchari alb. drach. i. M.

*Infuſum amarum.

*Infuſum amarum cum ſenna.

Si duplicetur ſenna, *duplicanda etiam* aqua.

*Infuſum cephalicum.

℞. Rad. valerianæ ſilv. unc. ii.
Roriſmarini *vel* ſalviæ unc. ſs.
Aq. font. bullient. lib. iv.
Infunde per noctem in vaſe clauſo, et colaturæ adde
Aq. valerianæ comp. unc. ii.

*Infu-

*Infusum lini.

℞. Succ. glycyrrhizæ unc. ſs.
Aq. font. lib. iv.

Coque parum; dein bullientem affunde

Sem. lini integri unc. ii.

Seponatur ad focum per horas duodecim, et cola.

*Infusum pectorale.

Adde priori infuso

Fol. tuſſilaginis unc. i.

*Infusum ad ſcorbuticos.

℞. Trifolii aquat. unc. ii.
Aurantiorum Curaſſavenſ. unc. ſs.
Aq. font. bullientis lib. iv.

Infunde per noctem in vaſe clauſo, et colaturæ adde

Aq. raphani comp. unc. iv.

*Infusum ſolani lethalis.

℞. Fol. ſolani leth. aridor. gr. iv.
Aq. font. bullient. unc. iv.

Infunde per horas ſex, et cola.

Paratur etiam infuſum ex ſolano hortenſi.

*In-

*Injectio balſamica.

℞ Balſ. copaibæ unc. ſs.
Vitellum unius ovi.
Probe ſubactis adde ſenſim
Aq. calcis unc. vi.
Syr. de roſis ſicc. unc. ii.

* Injectio mercurialis.

℞ Argenti vivi,
Balſ. copaibæ, $\overline{aa}$ unc. ſs.
Subactis ad extinctionem adde
Ovi vitellum;
et optime commixtis ſenſim adjice
Aq. font. lib. ſs.

*Julapium ammoniacum.

℞ Lactis ammoniaci unc. iv.
Syr. ſcillitici unc. iii. M.

* Julapium antihyſtericum.

℞ Aq. pulegii unc. iv.
valerianæ comp. unc. ii.
Tinct. caſtorei drach. ii.
Sal C. cervi vol. gr. x.
Sacchari alb. drach. vi. M.

* Julapium cardiacum.

℞ Aq. alexeteriæ unc. iv.
aromaticæ unc. ii.
Spir. vol. oleosi,
Tinct. croci, āā drach. ii.
Sacchari alb. unc. fs. M.

* Julapium diaphoreticum.

℞ Aq. alexeteriæ,
Spir. Mindereri, āā unc. iii.
Sal. C. cervi vol. gr. x.
Sacchari alb. drach. vi. M.

* Julapium diaphoreticum acidum.

℞ Aq. alexeteriæ unc. iv.
Aceti unc. i. fs.
Tinct. croci,
Theriacæ, āā unc. fs.
Sacchari alb. unc. i. M.

* Julapium diureticum.

℞ Spir. Mindereri unc. iv.
Aq. raphani comp. unc. ii.
Syr. de althæa unc. iii. M.

Ju-

* Julapium fœtidum.

℞ Aq. pulegii unc. vi.
Aſa fœtidæ drach. i. ſs.
F. ſolutio ; cui adde
Aq. valerianæ comp. unc. ii.
Sal. vol. C. cervi gr. xii.
Fit quoque ſine ſale, ſubſtituendo
Ol. ſtill. C. cervi gutt. xx. *exceptas.*
Sacchari alb. drach. x.

* Julapium hydragogum.

℞ Aq. menthæ ſativ. unc. vi.
Tartari emet. gr. x.
Syr. de rhamno unc. ii. M.

* Julapium moſchatum.

℞ Aq. alexeteriæ unc. vi.
Spir. vol. oleoſi drach. i. ſs.
Moſchi drach. ſs.
Sacchari alb. unc. ſs. M.
Teratur moſchus cum ſaccharo.

* Julapium ſalinum.

℞ Aq. menthæ ſat. unc. iii.
Succi limonum unc. i. ſs.
Sal. tartari drach. i.
Sacchari alb. unc. ſs. M.

* Julapium ſcilliticum.

℞ Aq. pulegii,
Syr. ſcillitici, $\overline{aa}$ unc. iii. M.

* Julapium ſiſtens.

℞ Aq. alexeteriæ unc. iv.
aromaticæ unc. ii.
Confect. Japonicæ drach. iii.
Laudani liquid. gutt. xl.
Sacchari alb. unc. ſs. M.

* Lac ammoniacum.

℞ G. ammoniaci unc. i. ſs.
Aq. pulegii. lib. ii. *Solve.*

* Lac ferratum.

Fit ex lacte vaccino recente, *in quo* ferrum candens *toties extinctum fuerit, ut quarta pars exhalet.*

Laudanum liquidum.

Fiat ſine croco.

*Linimentum anodynum.

℞ Ung. nervini unc. iii.
Balſ. terebinthinæ unc. i. M.

* Lini-

* Linimentum hæmorrhoidale.

℞ Ung. emollientis unc. ii.
Laudani liquid. unc. ſs.
Vitellum ovi.
Probe ſubigantur.

* Linimentum mercuriale.

℞ Axungiæ porcin. unc. i.
Mercurii præcip. alb. drach. i. M.

* Lohoch balſamicum.

℞ Spermatis ceti drach. ii.
Balſ. Peruviani gutt. xl.
Vitelli ovi q. ſ.
Probe ſubactis adde
Syr. de althæa unc. ii.

* Lohoch commune.

℞ Ol. Olivarum,
Syr. de althæa, $\overline{aa}$ unc. ii. M.

* Lohoch pectorale.

℞ Spermatis ceti,
Saponis Hiſpan. $\overline{aa}$ drach ii.
Vitelli ovi q. ſ.
Probe ſubactis adde
Ol. olivarum unc. i. ſs.
Syr. de althæa unc. iii. M.

Magne-

Magnesia alba.

Mercurius præcipitatus albus dulcis.

Mercurius præcipitatus ruber.

Mercurius sublimatus corrosivus.

Mercurius sublimatus dulcis.

* Oleum camphoratum.

℞ Ol. olivarum unc. i.
Camphoræ unc. ss. M.

Oleum stillatitium cornu cervi.

Oleum still. juniperi.

Oleum still. menthæ.

Oleum still. origani.

Oleum still. rorismarini.

Oleum still. succini.

Oleum tartari per deliquium.

Oleum terebinthinæ.

Oleum vitrioli.

* Oleum volatile.

℞ Ol. camphorati unc. i.
Spir. salis ammon. ex calce viva drach.
ii. M.

Opium præparatum, *seu* extractum.

* Oxymel pectorale.

Pilulæ æthiopicæ.

* Pilulæ ex allio.

℞ Allii,
Saponis Hispan. āā unc. ss.
Millepedarum præp. q. s. M. f. a.
E singulis semidrachmis formentur pil. vi.

Pilulæ aloeticæ.

Pilulæ chalybeatæ.

℞ G. ammoniaci,
Extract. gentianæ,
Sal. martis,
Myrrhæ, āā unc. i.
Syr. communis q. s. M. f. a.

Pilulæ

Pilulæ ecphracticæ chalybeatæ.

℞ Aloes hepaticæ,
Extr. hellebori nigr.
Sal. martis,
Galbani,
Myrrhæ, āā unc. i.
Syr. comm. q. ſ. M. ſ. a.

Pilulæ ecphracticæ purgantes.

℞ Aloes hepat.
Extr. hellebori nigr.
Scammonii, āā unc. ii.
Tartari vitriolati drach. iii.
Ol. ſtill. juniperi drach. i. ſs.
Syr. de rhamno q. ſ. M. ſ. a.

Pilulæ gummoſæ.

℞ Aſæ fœtidæ,
Galbani,
Fuliginis ſplend. āā unc. ii.
Ol. ſtill. ſuccini drach. i. ſs.
Syr. comm. q. ſ. M. ſ. a.

Pilulæ

Pilulæ mercuriales.

℞ Argenti vivi unc. i.
Mellis liquidi q. ſ.
Tere ad extinctionem, et adde
G. ammoniaci,
Saponis Hiſpani, $\overline{aa}$ unc. i. M. ſ. a.

Pilulæ mercuriales laxantes.

℞ Argenti viv. unc. i. ſs.
Mellis q. ſ.
Tere ad extinctionem, et adde
Maſſæ pil. ecphractic. purg.
Saponis Hiſpan. $\overline{aa}$ unc. i. M. ſ. a.

Pilulæ pacificæ.

℞ Galbani,
Myrrhæ,
Saponis Hiſpan. $\overline{aa}$ unc. ii.
Opii præp. unc. i.
Syr. papav. albi q. ſ. M. ſ. a.

Pilulæ pectorales.

℞ G. ammoniaci unc. i. ſs.
Myrrhæ unc. i.
Balſ. ſulphuris terebinth. drach. i.
Syr. de althæa q. ſ. M. ſ. a.

* Pilulæ Piceæ.

℞. Picis liquidæ q. v.
Rad. helenii pul. q. ſ. M. ſ. a.
E ſingulis ſemidrachmis formentur pil. vi.

Pilulæ roborantes.

℞. Colophoniæ unc. i. ſs.
Puiv. ſtyptici unc. i.
Sal. martis unc. ſs.
Syr. comm. q. ſ. M.

* Pilulæ ſcilliticæ.

E ſingulis ſemidrachmis formentur pil. vi.

Pilulæ ſtomachicæ.

℞. Aloes hepat. unc. i. ſs.
G. ammoniaci,
Myrrhæ, āā unc. ſs.
Tartari vitriol. drach. ii.
Ol. ſtill. menthæ drach. ſs.
Syr. comm. q. ſ. M. ſ. a.

Pilulæ terebinthinatæ.

℞ Vitrioli albi,
Terebinthinæ Ven. āā unc. ſs.
Rhabarbari pulv. q. ſ. M. ſ. a.

Pilulæ

Pilulæ e turpetho minerali.

℞ Turpethi mineralis,
Camphoræ, āā gr. x.
Tere simul; dein adde
Micæ panis humidæ q. s.
F. massa dividenda in pilulas xx.

* Potio balsamica.

℞ Bals. copaibæ drach. iii.
Ol. still. juniperi gutt. xxx.
Vitellum ovi.
Optime subactis immisce
Aq. pulegii unc. vi.
Syr. de althæa unc. ii.
Fit quoque sine oleo.

* Pulvis antilyssus.

* Pulvis cephalicus.

Pulvis contrayervæ compositus.

℞ Testas ostreorum præp. *pro* pulv. e chelis cancror. comp.

Pulvis diaromatôn.

℞ Canellæ albæ,
Zingiberi, āā p. æ. M.

* Pulvis diureticus.

℞. Scillæ aridæ gr. x.
Nitri gr. xv.
Piperis Jamaicenſ. gr. v. M.

Pulvis ad eryſipelatem.

℞. Cretæ albæ part. ii.
Abſinthii vulg. p. i. M.

* Pulvis ſtanni ferratus.

℞. Pulv. ſtanni drach. ii.
Sal. martis gr. v. M.

Pulvis ſtypticus.

℞. Aluminis rup. unc. ſs.
Terræ Japon. drach. ii. M.

Pulvis teſtaceus ceratus.

℞. Teſtas oſtreor. præp. *pro* pulv. e chelis cancror. comp.

Pulvis teſtaceus compoſitus.

℞. Teſtas oſtreor. præp. lib. i.
Cretæ albæ lib. ſs. M.

Pulvis vermifugus.

℞. Flor. tanaceti,

Sem. ſantonici, $\overline{aa}$ drach. iii.

Sal· martis drach. i. M.

Pulvis vermifugus purgans.

℞. Rhabarbari drach. iii.

Scammonii,

Calomelanos, $\overline{aa}$ drach. i. M.

Saccharum ſaturni.

Sal ammoniacum volatile.

Sal catharticum amarum.

Sal cornu cervi volatile.

Sal martis.

Sal polychreſtum.

Sal tartari.

Sapa, *ſive* rob, ſambuci.

*Serum acetoſum.

℞. Lactis vaccini,

Aq. font. $\overline{aa}$ lib. i.

Coque ad ebullitionem, et adde

Aceti unc. i. ſs.

Aufer coagulum.

* Serum epidemium.

℞. Lac vacc. bullientis lib. ii.

Aq. epidemiæ unc. iv.

Aufer coagulum.

* Sinapiſmus.

Solutio mercurii corroſivi.

℞. Mercurii ſublim. corroſ. in ſubtil. pulv. triti gr. xxiv.

Spir. ardentis e frumento lib. iv.

Digere, ſubinde agitando, donec mercurius ſolutus fuerit.

Spiritus æthereus.

Spiritus cornu cervi.

Spiritus lavendulæ compoſitus.

Spiritus Mindereri.

Spiritus nitri dulcis.

Spiritus ſalis ammoniaci ex calce viva.

Spiritus ſalis dulcis.

* Spiritus vini camphoratus.

Duplicetur camphora.

* Spiritus vini rectificatus.

Spiritus vitrioli.

Spiritus vitrioli dulcis.

Spiritus volatilis oleoſus.

* Succi ad ſcorbuticos.

Sulphur auratum antimonii.

* Suppoſitoria.

Fiunt e ſale communi, *cum* duplo melle, *coc-*
tis ad juſtam duritiem.

Syrupus de althæa.

Syrupus communis.

Syrupus e ſucco limonum.

Syrupus papaveris albi, *ſeu* diacodiôn.

Syrupus de rhamno cathartico.

Syrupus roſarum pallidarum.

Syrupus de roſis ſiccis.

Syrupus ſcilliticus.

Tartarus emeticus.

Tatarus ſolubilis.

Tartarus vitriolatus.

Teſtæ ovorum præparatæ.

Theriaca.

Tinctura antimonii.

Tinctura antiphthiſica.

Tinctura aromatica.

℞ Pulv. diaromatôn unc. ii.

Spir. vini Gall. lib. ii.

Marcera per triduum, et filtra.

Tinctura cantharidum.

Tinctura caſtorei.

Tinctura caſtorei compoſita.

Tinctura corticis Peruviani.

Tinctura croci.

Tinctura epiſpaſtica.

℞ Cantharidum in pulver. trit. unc. ii.

Spir. vini rectif. lib. i.

Digere per biduum et cola.

Tinctura fuliginis.

Tinctura hellebori nigri.

Tinctura

Tinctura jalappæ.
Tinctura ipecacuanhæ.
Tinctura martis.
Tinctura menthæ.
Tinctura myrrhæ.
Tinctura myrrhæ et aloes.
Tinctura rei amara.

Cum ſpir. vini, *omiſſa* cochinilla.

* Tinctura roſarum.

Tinctura ſacra.

℞ Aloes hepaticæ unc. ii.
Aq. aromaticæ lib. iii.
Macera per biduum, et cola.

Trochiſci albi.
Trochiſci de minio.
Turpethum minerale.
Vinum emeticum.
Vitrum antimonii.
Vitrum antimonii ceratum.

Unguentum Ægyptiacum.

Unguentum album.

* Unguentum antipsoricum.

℞ Sulphuris triti unc. i.
Rad. hellebori albi drach. ii.
Axungiæ porc. unc. ii. M.

Unguentum basilicum flavum.

℞ Cerae flavæ,
Resinæ albæ,
Thuris semin. $\overline{aa}$ lib. ss.
Liquescant simul leni igne; dein adde
Axungiæ porc. lib. ii.
Mixturam calidam cola.

Unguentum basilicum nigrum.

Unguentum emolliens.

Unguentum epispasticum.

Unguentum epispasticum mitius.

Unguentum e lapide calaminari.

Unguentum mercuriale.

Unguentum nervinum.

* Unguentum

* Unguentum ad paralyticos.

℞. Axungiæ porcinæ,
Ol. laurini, āā unc. ii.
vitrioli unc. i. M.

Unguentum piceum.

℞. Picis liquidæ,
Sevi, āā p. æ.
Liquefcant ſimul, agitando diligenter.

Unguentum ſambucinum.

Unguentum ſaturninum.

* Unguentum ſulphureum.

℞. Axungiæ porc. præp. unc. ii.
Sulphuris triti unc. ſs.

Unguentum tutiæ.

* Unguentum tutiæ camphoratum.

INDEX

INDEX

MORBORUM

ET

MEDICAMENTORUM

QUOD AD VIRES.

Alexeteria, Alexipharmaca. Vide *Diaphoretica.*

Abſceſſus. Vid. *Traumatica.*

Adſtringentia, Styptica. Rad. conſolidæ maj. Rad. tormentillæ. Fol. plantaginis. Decoct. vulnerarium. Roſæ rubræ. Syr. de roſis ſiccis. Tinct. roſarum. Cort. granatorum. Cort. Peruvianus. Electuar. Peruvianum roborans. Elect. Peruvian. ſtypticum. Tinct. cortic.

tic. Peruviani. Cort. quercus. Lign. Campechenſe. Decoct. Campechenſe. Olibanum. Colophonia. Terra Japonica. Alumen rupeum. Pulv. ſtypticus. Bolus Armena. Creta alba. Vitriola. Colcothar. vitrioli. Aq. vitriolica. Aq. calcis. Balſ. adſtringens. Confectio Japonica. Decoct. adſtringens. Decoct. album. Julap. ſiſtens. Lac. ferratum. Pil. roborantes. Pil. terebinthinatæ. Pulv. teſtaceus. comp. Idem ceratus. Saccharum Saturni. Tinct. antiphthiſica. Spir. vini rectificatus. Tinct. martis. Opiata. Gargariſma adſtringens. Enema adſtringens. Enema anodynum. Aq. ſtyptica. Fotus roborans.

Alvi fluxus. Vid. *Diarrhœa.*

Alvus adſtricta. Vid. *Cathartica, Laxantia.*

Amauroſis. Vid. *Ophthalmica.*

Ambuſta. Balſam. traumaticum. Spir. vini camphoratus. Ol. camphoratum. Ung. emolliens.

liens. Ung. ſambucinum. Ung. e lapide calaminari. Ung. album. Ung. ſaturninum.

Angina. Emetica. Laxantia et Cathartica. Julap. diaphoreticum. *Externa.* Empl. epiſpaſticum. Tinct. epiſpaſtica. Cataplaſma camphoratum. Ol. volatile. Spir. Mindereri Gargariſmata varia.

Animi deliquium, Syncope. Vid. *Cardiaca.*

Anodyna, Paregorica. Opium præp. Laudanum liquidum. Pilul. pacificæ. Theriaca. Syr. papaveris albi. Caſtoreum. Bolus e caſtoreo. Tinct. caſtorei. Tinct. caſtorei comp. Moſchus. Julap. Moſchatum. Camphora. Emulſ. camphorata. Spir. æthereus. Enema anodynum. *Externa.* Fotus anodynus. Balſam. anodynum Bateanum. Balſam. terebinthinæ. Ung. nervinum. Linimentum anodynum. Ol. camphoratum. Ol. volatile. Empl. calidum. Empl. epiſpaſticum.

Anthelmintica.

Anthelmintica. Fol. ſabinæ. Flor. tanaceti. Sem. ſantonicum. Aq. calcis. Sapo albus. Pulvis ſtanni uterque. Vitriola album et viride. Æthiops mineralis uterque. Bolus rhei c. mercurio. Pilul. mercuriales laxant. Pulv. vermifugus uterque.

Antihectica. Vid. *Phthiſis.*

Antimonialia. Antimonium præp. Æthiops antimonialis. Crocus antimonii. Pil. æthiopicæ. Sulphur auratum antimonii. Tartarus emeticus. Tinct. antimonii. Vinum emeticum. Vitrum antimonii. Idem ceratum.

Aphthæ. Laxantia. Decoct. nitroſum. Opiata. Gargariſma commune. Gargar. emolliens. Lohoch balſamicum. Loh. commune. Cataplaſma camphoratum. Ol. camphoratum. Empl. epiſpaſticum.

Apoplexia. Vid. *Cephalica.*

Arthritica. Vid. *Rheumatiſmus.*

Aſthma.

Asthma. Rad. alii. Pilul. ex. allio. Rad. scillæ. Julap. scilliticum. Pilul. scilliticæ. Rad. helenii. Fol. marrubii. Crocus. G. ammoniacum. Julap. ammoniacum. Asa fœtida. Julap. fœtidum. Sapo albus. Millepedæ. Expressio millepedarum. Flos sulphuris. Balsama sulphuris. Bolus pectoralis. Lohoch pectorale. Oxymel pectorale. Pil. pectorales. Ol. cornu cervi. Vesicatoria. Vid. *Pectoralia.*

Cachexia, Chlorosis. Sal polychrestum. Infusum amarum utrumque. Bolus rei cum mercurio. Pil. aloeticæ. Pil. chalybeatæ utræque. Pil. stomachicæ. Tinct. sacra. Tinct, rhei amara. Elix. sacrum. Elix. proprietatis. Elix. stomachicum. Elix. vitrioli. Ferri limatura. Tinct. martis. Antimonium praep. Tinct. antimonii. Vinum emeticum. Æthiops antimonialis. Pil. æthiopicæ. Cinnabaris antimonii. Æthiops mineralis uterque. Pil. mercuriales utræque. Decoct. lignorum. Aqua picea. Cervis. aperiens, Cervis. ad scorbuticos. Emetica.

Calculus. Vid. *Nephritica.*

Cardiaca. Aqua aromatica. Aq. menthæ piperitidis. Aq. piperis Jamaicenſis. Tinct. aromatica. Caſtoreum. Bolus e caſtoreo. Tinct. caſtorei utraque. Crocus. Tinct. croci. Spir. cornu cervi. Spir. lavendulæ compoſ. Moſchus. Julap. moſchatum. Julap. cardiacum.

Cardialgia. Emetica. Elix. ſacrum. Tinct. rhei amara. Tinct. ſacra. Magneſia alba. Pulv. teſtaceus comp. Nux. moſchata. Limatura ferri. Vid. *Stomachica.*

Carminativa. Rad. zingiberi. Sem. coriandri. Pulvis diaromatôn. Aq. aromatica. Tinct. aromatica. Spir. lavendulæ comp. Spir. cornu cervi. Spir. volatilis oleoſus. Spir. nitri dulcis. Spir. æthereus. Tinct. fuliginis.

Catarrhus. Flos ſulphuris. Balſam. ſulphuris. Conſerva roſarum. Electuar. balſamicum. Decoct. antihecticum. Infuſ. pectorale. Emulſ. Arabica. Opiata. Laxantia et Cathartica. Veſicatoria. Vid. *Pectoralia.*

Cathartica,

Cathartica, Laxantia. Pruna Galliaca. Tamarindi. Manna. Syr. rosarum pallidarum. Crystalli tartari. Sal catharticum amar. Sal polychrestum. Tartarus solubilis. Magnesia alba. Flos sulphuris. Electuar. haemorrhoidale. Aloe. Tinct. sacra. Elix. proprietatis. Elix. sacrum. Pil. aloeticæ. Pil. stomachicæ. Pil. ecphracticæ utræque. Rad. hellebori nigri. Extract. hellebori nigri. Rhabarbarum. Bolus rhei c. mercurio. Tinct. rhei amara. Fol. sennæ. Decoct. tamarindorum. Infus. amarum c. senna. Elix. salutis. Electuar. lenitivum. Rad. jalappæ. Extract. jalappæ aquosum. Bol. jalappæ c. mercurio. Tinct. jalappæ. Scammonium. Pil. mercuriales laxantes. Pulv. vermifugus purgans. Syr. de rhamno cathartico. Julap. hydragogum. Colocynthis. Enema domesticum. Enema anticolicum. Enema purgans. Suppositoria.

Cephalica. Rad. valerianæ silv. Aq. valerianæ comp. Infus. cephalicum. Cervis. cephalica. Fol. asari. Fol. majoranæ. Pulv. cephalicus. Fol. et flor. rorismarini. Fol. salviæ.

Flor.

Flor. lavendulæ. Spir. lavendulæ comp. Cardamomum minus. Caryophylli aromatici. Cubebæ. Nux moſchata. Pulv. antilyſſus. Sinapi. Aſa fœtida. Julap. fœtidum. Pil. gummoſæ. Tinct. fuliginis. Caſtoreum. Bol. e caſtoreo. Tinct. caſtorei utraque. Ol. roriſmarini. Ol. ſuccini. Ol. cornu cervi. Spir. cornu cervi. Spir. ſalis ammoniaci. Spir. volatilis oleoſus. Spir. ætherius. Emetica. Cathartica. Sinapiſmus. Empl. epiſpaſticum. Tinct. epiſpaſtica. Ung. epiſpaſticum utrumque.

Chalybeata. Limatura et rubigo ferri. Sal martis. Colcothar vitrioli. Elect, Peruvian. roborans. Pil. chalybeatæ utræque. Pil. roborantes. Lac ferratum. Pulv. ſtanni ferrat. Tinct. martis.

Chloroſis. Vid. *Chachexia.*

Chorea Sancti Viti. Vid. *Cephalica.*

Coliaca, Iliaca. Bolus rhei c. mercurio. Elix. ſacrum. Elix. ſalutis. Tinct. ſacra. Tinct. rhei

rhei amara. Pil. aloeticæ. Pil. ſtomachicæ. Aq. aromatica. Aquæ menthæ utriuſque. Tinct. menthæ. Hauſt. ſalinus. Julap. ſalinum. Enema anticolicum. Enema emolliens. Fotus aromaticus. Cataplaſma ſtomachicum. Opiata.

Convulſio. Vid. *Cephalica.*

Cutanei affectus. Vid. *Scabies.*

Diabetes. Aq. calcis. Decoct. antihecticum. Emulſio Arabica. Elix. vitrioli. Tinct. roſarum. Lac ferratum. Tinct. antiphthiſica. Pulv. ſtypticus. Elect. Peruvian. ſtypticum. Emetica et Cathartica lenia.

Diaphoretica, Sudorifica, Alexipharmaca. Rad. ac Sem. angelicæ. Rad. contrayervæ. Pulv. contrayervæ comp. Bolus diaphoreticus. Rad. ſarſaparillæ. Decoct. ſarſaparillæ. Rad. ſenekæ. Decoct. ſenekæ. Rad. ſerpentariæ Virg. Decoct. ſerpent. comp. Bolus alexeterius. Fol. ſalviæ. Fol. ſcordii.

Fol.

Fol. rutæ. Flores ſambuci. Rob. ſambuci. Caſtoreum. Bolus e caſtoreo. Crocus. Tinct. croci. Camphora. Emulſ. camphorata. Lign. guajaci cum cort. Decoct. lignorum. Gum. guajaci. Bol. guajacinus. Lign. ſaſſaphras cum cort. Moſchus. Julap. moſchatum. Opium et opiata. Bolus ſudorific. Theriaca. Bolus theriacalis. Sal. ammoniacum et cornu cervi volatilia. Spir. cornu cervi. Oleum volatile *exſiccatus*. Spir. Mindereri. Hauſt. diaphoreticus. Julap. diaphoreticum. Sulphur auratum antimonii. Tartarus emeticus. Vinum emeticum. Pil. et turpetho min. Solutio mercurii corroſivi. Aq. alexeteria. Aq. epidemia. Serum acetoſum et epidemium. Julap. diaphoreticum acidum.

Diarrhœa, Dyſenteria, Teneſmus. Rad. ipecacuanhæ. Tinct. ipecacuanhæ. Vitrum antimonii ceratum. Rhabarbarum. Bolus rhei c. mercurio. Tinct. rhei amara. Aq. calcis. Conf. Japonica. Decoct. adſtringens. Decoct. album. Decoct. Campechenſe. Electuar. ad dyſentericos. Julap. ſiſtens. Lac ferratum. Lohoch balſamicum. Pil. Roborantes. Pulv. teſtaceus

teſtaceus ceratus. Opiata. Enema adſtringens. En. adſtringens balſamicum. En. de amylo. En. anodynum. En. emolliens. Fotus aromaticus. Vid. *Adſtringentia.*

Diſcutientia. Cataplaſma diſcutiens. Empl. gummoſum. Empl. mercuriale. Empl. ſaponaceum. Oleum camphoratum. Ol. volatile. Sal. ammoniacum. Spir. Mindereri. Spir. vini camphoratus. Ung. ſambucinum.

Diuretica. Rad. allii. Pil. ex allio. Rad. bardanæ maj. Decoct. bardanæ. Rad. fœniculi. Rad. petroſelini. Rad. ſenekæ. Decoct. ſenekæ. Rad. ſcillæ. Acet. ſcilliticum. Julap. ſcilliticum. Pil. ſcilliticæ. Pulv. diureticus. Fol. parietariæ. Sem. dauci ſilv. Sem. fœnicul. d. Sem. ſinapi. Cerviſia diuretica. Baccæ Juniperi. Ol. juniperi. Terebinthina Veneta. Ol. terebinthinæ. Elect. ad nephriticos. Enema terebinthinatum. Balſ. copaibæ. Potio balſamica. Sapo albus. Bolus diureticus. Cantharides. Tinct. cantharidum. Millepedæ. Expreſſio millepedarum. Nitrum. Decoct. nitroſum. Spir. ſalis dulcis.

Aqua

Aqua raphani comp. Decoct. diureticum. Emulsio communis et Arabica. Hauſt. ſalinus. Julap. ſalinum. Sal. polychreſtum. Sal. tartari. Spir. Mindereri. Julap. diureticum. Solut. mercurii corroſivi.

Dyſenteria. Vid. *Diarrhœa.*

Dyſuria. Vid. *Nephritica.*

Emetica. Rad. ipecacuanhiæ. Tinct. ipecacuanhæ. Tartarus emeticus. Vinum emeticum. Turpethum minerale. Syr. ſcilliticus. Vitriolum album.

Emmenagoga. Vid. *Menſes moventia.*

Epilepſia. Vid. *Cephalica.*

Eryſipelas. Decoct. tamarindorum. Sal. cathartic. amarum. Bolus alexeterius. Empl. epiſpaſticum. Tinct. epiſpaſtica. Cataplaſma emolliens. Fotus anodynus. Fotus aromaticus. Pulv. ad eryſipelatem. Cataplaſma camphoratum. Spir. vini camphoratus. Ung. tutiæ camphoratum. Ung. ſambucinum.

Expecto-

Expectorantia. Vid. *Pectoralia.*

Febris continua. Decoct. hordei. Decoct. nitrosum. Emulsio communis. Serum acetosum et epidemium. Haust. salinus. Julap. salinum. Spir. Mindereri. Julap. diaphoreticum. Bolus alexeterius. Bol. e castoreo. Bol. diaphoreticus. Decoct. serpentariæ comp. Emulsio camphorata. Julap. cardiacum. Julap. diaphoreticum acidum. Julap. moschatum. Pulv. contrayervæ comp. Emetica. Laxantia. Enema domesticum. En. emolliens. En. purgans. Empl. epispasticum. Tinct. epispastica. Sinapismus.

Febris Intermittens. Cort. Peruvianus. Electr. Peruvianum febrifugum. Tinct. cort. Peruviani. Flor. chamæmeli. Infus. amarum utrumque. Emetica. Elix. sacrum. Tinct. sacra. Tinct. rhei amara. Sal. ammoniacum. Haust. salinus. Bolus diaphoreticus. Bolus sudorificus. Julap. diaphoreticum. Rad. senekæ. Decoct. senekæ. Ol. succini.

Fluor Albus. Emetica. Bolus rhei c. mercurio. Pil. mercuriales laxant. Chalybeata. Aq. calcis. Balſ. adſtringens. Decoct. lign. Elect. Peruvian. ſtypticum. Elix. vitrioli. Pil. roborantes. Pil. terebinthinatæ. Potio balſamica. Pulv. ſtypticus. Tinct. antiphthiſica. Tinct. cantharidum. Balſ. anodynum Bateanum *extrinſecus*. Fotus roborans *injectus*.

Gangræna. Bolus alexeterius. Cortex Peruvianus. *Externa.* Cataplaſma camphoratum. Ol. terebinthinæ. Spir. vini camphoratus. Tinct. myrrhæ et aloes. Ung. Ægyptiacum.

Gonorrhœa virulenta. Decoct. tamarindorum. Sal catharticum amarum. Sal polychreſtum. Emulſio Arabica. Infuſum lini. Nitrum. Pil. mercuriales utræque. Pil. e turpetho miner. Solut. mercurii corroſivi. Potio balſamica. Tinct. cantharidum. Fotus emolliens. Injectio balſamica. Injectio mercurialis.

Gutta

Gutta ſerena. Vid. *Ophthalmica.*

Hæmoptoe. Decoct. tamarindorum. Aqua calcis. Decoct. antihecticum. Decoct. vulnerarium. Emulſio Arabica. Electuar. balſamicum. Elect. Peruvianum febrifugum. Infuſum lini. Infuſ. pectorale. Pulv. ſtypticus. Spir. vitrioli. Tinct. antiphthiſica. Tinct. roſarum

Hæmorrhagia. Laxantia. Aq. ſtyptica. Balſ. adſtringens. Colcothar vitrioli. Decoct. nitroſum. Pulvis ſtypticus. Spir. vitrioli. Tinct. roſarum. Tinct. antiphthiſica. Enema purgans.

Hæmorrhoidalia. Flos. ſulphuris. Elect. hæmorrhoidale. Enema anodynum. Fotus anodynus. Linim. hæmorrhoidale. Ung. emolliens.

Hypnotica. Vid. *Anodyna.*

Hydrops. Rad. alii. Pil. ex allio. Rad. ſcillæ. Julap. ſcilliticum. Pil. ſcilliticæ. Pulv. diureticus. Sem. ſinapi. Cerviſ. diuretica.

ca. Rad. ſenekæ. Decoct. ſenekæ. Millepedæ. Expreſſio millepedarum. Tinct. cantharidum. Sal tartari. Bol. diureticus. Julap. diureticum. Julap. ſalinum. Potio balſamica. Rad. jalappæ. Bolus jalappæ c. mercurio. Tinct. Jalappæ. Julap. hydragogum. Antimonialia. Mercurialia. Bol. ſudorificus.

Hypochondriacus & Hyſtericus morbi.

Aq. pulegii. Aq. valerianæ comp. Bolus e caſtoreo. Cerviſia cephalica. Infuſ. cephalicum. Julap. antihyſtericum. Julap. fœtidum. Julap. moſchatum. Ol. ſtill. cornu cervi. Ol. ſtill. ſuccini. Pil. gummoſæ. Pil. ſtomachicæ. Spir. æthereus. Spir. cornu cervi. Spir. lavendulæ comp. Spir. ſal. ammon. ex calce viva. Spir. volatilis oleoſus. Tinct. caſtorei. Tinct. caſtorei comp. Tinct. ſuliginis. Elect. Peruvianum roborans. Tinct. cort. Peruviani. Pulv. antilyſſus. Elix. vitrioli. Elix. proprietatis. Elix. ſacrum. Pil. aloeticæ. Tinct. ſacra. Tinct. rhei amara. Chalybeata. Emetica. Laxantia. Opiata. Enema foetidum. Empl. antihyſtericum.

Icterus.

Icterus. Emetica. Bolus rhei c. mercurio. Elix ſacrum. Tinct. ſacra. Tinct. rhei amara. Sapo albus. Expreſſio millepedarum. Pil. ſcilliticæ.

Iſchiadicus morbus. Vid. *Rheumatiſmus.*

Laxantia. Vid. *Cathartica.*

Lepra. Vid. *Scabies.*

Lithontriptica. Vid, *Nephritica.*

Lues venerea. Decoct. lignorum. Decoct. ſarſaparillæ. Mercurialia.

Lumbago. Vid. *Rheumatiſmus.*

Mania, Melancholia. Emetica. Decoct. tamarindorum. Extract. et tinct. hellebori nigri. Elix. ſacrum. Tinct. ſacra. Camphora. Julap. fœtidum. Pil. gummoſæ. Opiata. Empl. epiſpaſticum.

Menſes moventia. Rad. ariſtolochiæ utriuſque. Rad. curcumæ. Rad. hellebori nigri. Rad. ſcillæ. Rad. valerianæ ſilv. Rad. zedoariæ. Fol. rutæ. Fol. ſabinæ. Fol. ſalviæ. Summit. centaurii min. Crocus. Sem. leviſtici. Sem. ſinapi. Aloe utraque. Galbanum. Myrrha. Caſtoreum. Aq. pulegii. Aq. valerianæ comp. Extract. et tinct. hellebori nigri. Elix. proprietatis. Elixir ſacrum. Tinct. ſacra. Tinct. croci. Cerviſia aperiens. Infuſum amarum utrumque. Julap. ammoniacum. Julap. antihyſtericum. Pil. ſcilliticæ. Pil. mercuriales lax. Pil. chalybeatæ utræque, aliaque chalybeata.

Menſes ſiſtentia. Balſ. adringens. Confect. Japonica. Elect. Peruvianum roborans. Elect. Peruvianum ſtypticum. Pulvis ſtypticus. Pulv. teſtaceus ceratus. Tinct. antiphthiſica. Tinct. roſarum. Spir. vitrioli. Vitrum antimonii ceratum.

Mercurialia. Æthiops mineralis uterque. Æthiops antimonialis. Pil. mercuriales utræque.

que. Pil. æthiopicæ. Mercurius ſublimatus corroſivus. Solutio mercurii corroſivi. Mercurius ſublimatus dulcis. Mercur. præcipitatus albus; et ruber. Turpethum minerale. Pil. e turpetho minerali. Bolus mercurialis. Bolus jalappæ c. mercurio. Bolus rhei c. mercurio. Pulv. vermifugus purgans. Cinnabaris antimonii *pro ſuffitu.* Aq. aluminoſa. Aq. phagedænica. Injectio mercurialis. Empl. mercuriale. Linimentum mercuriale. Ung. mercuriale. Trochiſci de minio.

Mictus cruentus. Vid. *Hæmorrhagia.*

Nephritica. Aq. calcis. Sapo albus. Ol. ſtill. Juniperi. Bolus diureticus. Decoct. diureticum. Decoct. nitroſum. Hauſtus ſalinus. Julap. diureticum. Julap. Scilliticum. Pil. ſcilliticæ. Pulv. diureticus. Potio balſamica. Spir. nitr. dulc. Spir. ſalis dulc. Tinct. cantharidum. Opiata. Emulſio communis; et Arabica. Infuſum lini. Lohoch commune. Elect. lenitivum. Elect. ad nephriticos. Elixir ſalutis. Enema emolliens. En. terebinthinatum. Fotus emolliens.

Ophthal-

Ophthalmica. Cathartica. Pil. mercurial. utræque. Expreſſio millepedarum. *Externa.* Aq. ſapphirina. Aq. vitriolica. Cataplaſma emolliens. Collyrium album. Collyrium aluminoſum. Spir. Mindereri. Pulv. cephalicus. Turpethum minerale. Ung. tutiæ utrumque. Empl. et ung. epiſpaſtica.

Opiata. Vid. *Anodyna.*

Paralyſis. Rad. alii. Rad. ari. Rad. ſerpentar. Virgin. Rad. valerianæ ſilv. Fol. et flor. roriſmarini. Fol. rutæ. Fol. ſalviæ. Flor. lavendulæ. Cardamomum min. Caryophylli aromatici. Cubebæ. Sem. leviſtici. Sem. ſinapi. Lign. guajaci et ſaſſaphras. Canella alba. Aſa fœtida. Camphora. Gum guajaci. Caſtoreum. Cinnabaris antimonii. Sulphur auratum antimonii. Aq. valerianæ comp. Aq. raphani comp. Bolus e caſtoreo. Bolus guajacinus. Cerviſia cephalica. Decoct. lignorum. Infuſum cephalicum. Julapium antihyſtericum. Julapium diaphoreticum. Julapium diureticum. Julap. fœtidum. Oleum ſtillat. cornu cervi. Oleum ſtillat. ſuccini. Spir.

cornu cervi. Spir. lavendulæ comp. Succi ad ſcorbuticos. Tinct. caſtorei. Tinct. caſtorei comp. Tinct. fuliginis. Emetica. Bolus jalappæ c. mercurio, aliaque cathartica. Enema fœtidum. *Externa.* Pulv. cephalicus. Balſ. ſaponaceum. Balſ. terebinthinæ. Empl. calidum. Empl. epiſpaſticum. Linim. anodynum. Ol. volatile. Ung. nervinum. Ung. ad paralyticos.

Pectoralia. Rad. allii. Pil. ex allio. Rad. helenii. Rad. iridis Flor. Rad. ſcillæ. Acet. ſcilliticum. Syr. ſcillit. Julap. ſcillit. Pil. ſcillit. Pulv. diureticus. Fol. hederæ terr. Fol. marubii. Herba trichomanes. Fol. et flor. tuſſilaginis. Crocus. Gum. ammoniacum. Lac ammoniacum. Julap. ammoniacum. Balſ. Peruvianum. Benzoinum. Olibanum. Pix liquida. Aq. picea. Balſ. piceum. Pil. piceæ. Millepedæ. Expreſſio millepedarum. Flos ſulphuris. Balſama ſulphuris. Bolus pectoralis. Oxymel pectorale. Pil. pectorales. Conſer. roſarum. Rad. althææ. Rad. glycyrrhizæ. Succus glycyrrhizæ. Mel. Sem. lini. Infuſum lini. Infuſ. pectorale. Gum. Arabicum.

cum. Tragacantha. Decoct. antihecticum. Decoct hordei. Ol. olivarum. Sperma ceti. Balſ. Locatelli. Elect. balſamicum. Lohoch balſamicum. Lohoch commune. Lohoch pectorale. Sapo albus. Emetica.

Peripneumonia, Pleuritis. Bol. pectoralis. Julap. ammoniacum. Julap. diaphoreticum. Julap. ſcillitic. Decoct. hordei. Infuſ. lini. Lohoch commune. Empl. epiſpaſticum. Tinct. epiſpaſtica. Vid. *Pectoralia.*

Phthiſis. Conſerv. roſarum. Decoct. antihecticum. Decoct. vulnerarium. Electuar. balſamicum. Infuſ. pectorale. Julap. ammoniacum. Julap. ſcilliticum. Lohoch balſamicum. Pil. pectorales. Pil. ſcilliticæ. Potio balſamica. Aqua calcis. Aqua picea. Balſ. piceum. Pil. picæ. Balſama ſulphuris. Bolus pectoralis. Emetica. Elix. vitrioli. Empl. epiſpaſticum. Vid. *Pectoralia*; vid. *Diarrhœa.*

Purgantia. Vid. *Cathartica.*

Rabies

Rabies canina. Pulv: antilyſſus. Moſchus.

Rheumatiſmus, Lumbago, Iſchias, Arthritis. Decoctum bardanæ. Decoct. lignorum. Decoct. ſenekæ. Succi ad ſcorbuticos. Cerviſia ad ſcorbuticos. Sem. ſinapi. Bolus guajacinus. Bolus ſudorificus. Julap. diaphoreticum. Ol. terebinthinæ. Pil. ſcilliticæ. Sapo albus. Æthiops mineralis. Æthiops antimonialis. Pil. mercuriales utræque. Solutio mercurii corroſivi. Laxantia et Cathartica. *Externa.* Balſ. anodynum Bateanum. Balſ. ſaponaceum. Balſ. terebinthinæ. Catapl. emolliens. Empl. calidum. Empl. epiſpaſticum. Empl. ſaponaceum. Linim. anodynum. Ol. camphoratum. Ol. volatile.

Scabies, Lepra. Antimonium præp. Sulphur. aurat. antimonii. Tinct. antimonii. Vin. emeticum. Æthiops antimonialis. Æth. mineralis. Pil. æthiopicæ. Pil. mercuriales utræque. Solutio mercur. corroſivi. Cerviſia ad ſcorbuticos. Succi ad ſcorbuticos. Decoctum lignorum. Aqua picea. Pil. piceæ.

Tinct.

Tinct. cantharidum. Flos ſulphuris. *Externa.* Balſ. piceum. Ung. piceum. Empl. epiſpaſticum. Aq. calcis. Ung. antipſoricum. Ung. ſulphureum. Linim. mercuriale. Ung. mercuriale.

Scorbutus. Aq. raphani comp. Cerviſia ad ſcorbuticos. Infuſum ad ſcorbuticos. Succi ad ſcorbuticos. Elixir ſtomachicum. Infuſum amarum utrumque. Elixir vitrioli. Pil. chalybeatæ utræque, et alia chalybeata. Pil. piceæ. Aq. picea. Sal polychreſtum. Decoct. tamarindorum. Pil. ſtomachicæ. Tinct. ſacra. Tinct. rhei amara.

Singultus. Spir. lavendulæ comp. Julap. cardiacum. Moſchus. Julap. moſchatum. Spir. æthereus. Cort. Peruvianus. Tinct. corticis Peruviani. Opiata. Elixir ſacrum. Tinct. ſacra. *Externa.* Balſ. anod. Batean. Cataplaſma camphoratum. Catapl. ſtomachicum. Fotus aromaticus. Veſicatoria.

Stomachica. Rad. calami aromat. Rad. zedoariæ. Zingiberi. Folia menthæ utriuſque.

Aquæ

Aquæ menthæ utriuſque. Tinct. menthæ. Canella alba. Cinnamomum. Nux moſchata. Macis. Piper Jamaicenſe. Aq. piperis Jamaic. Piper nigrum. Tinct. aromatica. Elixir vitrioli. Aq. picea. Myrrha. Rad. curcumæ. Rad. gentianæ. Extract. gentianæ. Fol. abſinthii. Fol. cardui bened. Summit. centaurii min. Flor. chamæmeli. Aurantia Curaſſaventia. Cort. Peruvianus. Tinct. cort. Peruviani. Elixir ſtomachicum. Infuſum amarum utrumque. Aloe. Elixir proprietatis. Pil. aloeticæ. Pil. ſtomachicæ. Tinct. ſacra. Rhabarbarum. Bolus rhei c. mercurio. Tinct. rhei amara. Elixir ſacrum. Pil. chalybeatæ utræque, et alia chalybeata. Tinct. ipecacuanhæ, aliaque emetica. *Externa.* Cataplaſma ſtomachicum. Fotus aromaticus. Theriaca.

Styptica. Vid. *Adſtringentia.*

Sudorifica. Vid. *Diaphoretica.*

Tinea. Vid. *Scabies.*

Traumatica, Vulneraria. Fol. tuſſilaginis. Decoctum vulnerarium. Cortex Peruvianus. Aq. calcis. Aq. picea. Infuſ. ſolani. Balſ.

Locatelli. Potio balſamica. Pil. mercuriales utræque. Solutio mercurii corroſivi. *Externa.* Balſ. traumaticum. Aq. ſtyptica. Aq. alumi-noſa. Aq. calcis. Aq. phagedænica. Tinct. myrrhæ et aloes. Balſ. viride. Ung. Ægyptia-cum. Ung. album. Ung. e lapide calaminari. Ung. ſaturninum. Ung. baſilicum utrumque. Ung. mercuriale.

Tuſſis. Vid. *Pectoralia.*

Vermifuga. Vid. *Anthelmintica.*

Vertigo. Vid. *Cephalica.*

Ulcera. Vid. *Traumatica.*

Vomitoria. Vid. *Emetica.*

Vomitus. Aquæ menthæ utriuſque. Tinct. menthæ. Hauſt. ſalinus. Julap. ſalinum. E-lixir ſacrum. Tinct. ſacra. Tinct. rhei amara. Spir. æthereus. Elixir vitrioli. Emetica. Chalybeata. Opiata. *Externa.* Balſ. anodyn. Bateanum. Cataplaſma ſtomachicum. Fotus aromaticus. Theriaca.

TABULA POSOLOGICA.

R Ad. jalappæ. ad ſcrup. ii.
Rad. ipecacuanhæ, ad ſcrup. ii.
Rad. rhabarbari, ad drach. i.
Rad. ſerpentariæ Virg. ad drach. ſs.
Rad. valerianæ ſilv. ad unc. ſs. bis terve in die.
Sem. ſinapi integrum, ad drach. vi. bis in die.
Aloe hepat. et ſocotrin. ad ſcrup. i.
Scammonium, ad ſcrup. i.
Camphora, ad ſcrup. ii.
Olibanum, ad drach. i. bis in die.
Opium ; gran. i.
Manna ; ad unc. ii.
Chryſtalli tartari ; unc. ſs.
Nitrum, ad drach. ſs. ſaepius in die.
Sapo albus ad unc. ii. in die, paritis vicibus.
Caſtoreum ad drach. ſs.
Moſchus, ad gran. xv.
Stanni pulv. ad unc. ſs. bis in die.
Vitriolum alb. ſcrup. i.
Acetum ſcilliticum ; drach. i. ſs. bis in die.

Aquæ

Aqua calcis; lib. ii. in die.

Antimonium præp. ad drach. ii.

Balſ. adſtringens, ad gutt. xl.

Balſ. piceum; gutt. l. bis terve in die.

Balſama ſulphuris, ad gutt. x.

Cerviſiæ medicatae variæ, ad lib. ſs. bis in die.

Confectio Japonica. Unc. ſs. continet Opii gr. i.

Decoct. adſtringens; unc. iv. ter quaterve in die.

Decoct. bardanæ; lib. ii. in die.

Decoct. Campechenſe, ad unc. iv. ter quaterve in die.

Decoct. diureticum; lib. ii. in die.

Decoct. lignorum; lib. ii. in die.

Decoct. nitroſum; unc. iv. ſæpius in die.

Decoct. ſarſaparillæ; lib. ii. in die.

Decoct. ſenekæ, ad unc. ii. ter quaterve in die.

Decoct. ſerpentariæ comp. unc. i. ter quaterve in die.

Electuar. balſamicum: moles juglandis bis in die.

Elect. ad dyſentericos; moles juglandis ſemel, aut bis, in die.

Elect. hæmorrhoidale, ad drach. iii.

Elect. ad nephriticos, ad drach. i. ſemel, aut bis, in die.

Elect. Peruvianum robor. moles juglandis bis terve in die.

Elect. Peruvianum ſtypt. moles juglandis ter in die.

Elixir proprietatis; gutt. xl. bis, vel ter, in die.

Elixir ſacrum; unc. i.

Elixir ſalutis, ad unc. ii.

Elixir ſtomachicum, ad unc. ſs.

Elixir vitrioli; gutt. xxx. bis in die.

Emulſio camphorata; unc. ſs. tertia, aut quarta, quaque hora.

Expreſſio millepedarum, ad unc. ii. bis in die.

Extract. hellebori nigri, ad ſcrup. i.

Extract. jalappæ aquoſum, ad ſcrup. i.

Infuſ. amarum, ad unc. iii. bis in die.

Infuſ. cephalicum
Infuſ. ad ſcorbuticos } unc. iv. bis in die.

Infuſ. ſolani lethal. unc. ii.

Julap. ammoniacum, ad unc. i. bis in die.

Julap. antihyſtericum
Julap. cardiacum } ad unc. i. ter in die.

Julap. diaphoreticum utrumque, ad unc. i. quoque bihorio.

Julap. diureticum, ad unc. i. ſæpius in die.

Julap. fœtidum; unc. ſs. ter quaterve in die.

Julap. hydragogum ; unc. i. quoque bihorio.
Julap. moſchatum; unc. i. ter quaterve in die.
Julap. ſalinum ; unc. i. quaque hora.
Julap. ſcilliticum ; unc. i. bis in die.
Julap. ſiſtens ; unc. i. ter quaterve in die.
Lac ammoniacum ; unc. i. bis in die.
Laudanum liquid. Gutt. xxv. continent Opii gr. i.
Magneſia alba, ad drach. ii.
Ol. ſtill. cornu cervi, ad gutt. x.
Ol. ſtill. juniperi, ad gutt. xx.
Ol. ſtill. terebinthinæ, ad gutt. xl. bis in die.
Oxymel pectorale, ad unc. i. bis terve in die.
Pil. æthiopicæ, ad ſcrup. i.
Pil. ex allio ; drach. ſs. bis in die.
Pil. aloeticæ, ad drach. ſs.
Pil. chalybeatæ, ad ſcrup. i. bis in die.
Pil. ecphracticæ chalybeatæ, ad drach. ſs.
Pil. ecphracticæ purg. ad ſcrup. ii.
Pil. gummoſæ; ſcrup. i. bis in die.
Pil. mercuriales lax. ad drach. ſs. alternis diebus.
Pil. pacificæ. Gr. viii. continent Opii gr. i.
Pil. pectorales ; ſcrup. i. bis in die.
Pil. piceæ; drach. ſs. bis in die.
Pil. roborantes, ad drach. ſs. bis in die.
Pil. ſcilliticæ ; gr. xv. bis in die.

Pil. ſtomachicæ, ad drach. ſs.
Pil. terebinthinatæ; ſcrup. i. bis in die.
Pil. e turpetho miner. pil. i. bis terve in die.
Potio balſamica, ad unc. i. bis in die.
Pulv. antilyſſus, ad drach. i. ſs.
Pulv. contrayervæ comp. drach. ſs.
Pulv. cephalicus, pro ſternutamento, ad gr. x.
Pulv. diaromatôn, ad ſcrup. i.
Pulv. diureticus, ad gr. xv.
Pulv. ſtanni ferrat. ad drach. ii. bis in die.
Pulv. ſtypticus, ad ſcrup. i. bis terve in die.
Pulv. teſtaceus ceratus; drach. ſs. ſæpius in die.
Pulv. vermifugus, ad drach. ſs. bis in die.
Pulv. vermifug. purg. ad drach ſs.
Sal cathart. amarum, ad unc. i. ſs.
Sal polychreſt. ad unc. ſs.
Solutio mercurii corroſ. ad unc. i. bis in die.
Spirit. æthereus; gutt. xxx.
Spir. lavendulæ comp. gutt. xxx. bis terve in die.
Spir. nitri dulc. ad drach. i.
Spir. vitrioli dulc. ad drach. i.
Succi ad ſcorbuticos, ad unc. iv. bis in die.
Syr. papaveris albi; unc. i.
Syr. de rhamno; unc. i.
Tartarus emetic. ad gr. vii.

Tartar. ſolubilis, ad unc. ſs.

Theriaca, drach. ii. ſs. continent Opii gr. i.

Tinct. antimonii, ad gutt. xl. bis in die.

Tinct. antiphthiſica ; gutt. xxx. bis in die.

Tinct. cantharidum, ad gutt. xxx. bis in die.

Tinct. caſtorei ; gutt. xl. bis terve in die.

Tinct. caſtorei comp. gutt. xl. bis terve in die.

Tinct. cort. Peruviani, ad unc. i. ſæpius in die.

Tinct. croci ; gutt. xl. bis terve in die.

Tinct. fuliginis; gutt. xl. bis terve in die.

Tinct. hellebori nigri ; unc. ſs.

Tinct. ipecacuanhæ, ad unc. i. ſs.

Tinct. martis ad gutt. xl. bis in die.

Tinct. menthæ ; unc. ſs. ſæpe.

Tinct. myrrhæ; gutt. xl. bis in die.

Tinct. rhei amara, ad unc. i. ſs.

Tinct. roſarum ; unc. iv. ter quaterve in die.

Tinct. ſacra, ad unc. i. ſs.

Turpethum miner. ad gr. viii.

Vinum emeticum, ad unc. i. ſs.

Vitrum antimonii ceratum, ad gr. x.

FINIS.